

# BRAVIA<sup>™</sup> 4K HDR Professional Displays

Innovative displays designed for business

## 43" – 85" X80K/X81K/ X89K/X90H Series

FWD-43X80K/UK FWD-50X80K/UK FWD-55X80K/UK FWD-65X80K/UK FWD-75X81K/UK FWD-85X89K/UK FWD-85X90H/UK







# High quality 4K HDR images and smart connectivity

Take your business communications to the next level with the BRAVIA Professional Display that combines lifelike 4K HDR image quality and TRILUMINOS PRO<sup>™</sup> with easy operation, flexible networking/control and extensive integration options. Optimised for professional applications, these BRAVIA Professional series delivers richly coloured, high-contrast 4K HDR images, while 4K X-Reality PRO upscales lower-resolution images closer to true 4K quality.

The display's clean, minimal design keeps your audience focused on what really matters, while Dolby Atmos delivers pure, immersive sound.

For even greater peace of mind there's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

#### **Ultimate Picture Quality**





**X** R Motion

4K X-Reality 🕮

#### 4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

#### Refined style to match your space

BRAVIA features a slim, contemporary blade design, with a narrow screen bezel that adds an extra touch of refinement to any interior.

#### Wider colour with TRILUMINOS Display

Our wide colour gamut and unique TRILUMINOS PRO<sup>™</sup> algorithm can detect colour from saturation, hue and brightness to reproduce natural shades in every detail. You'll enjoy colours that are closer to those seen in the real world. Powered by our X1 processor, TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of more vivid, lifelike hues and tones.

#### More contrast, colour and clarity

Our 4K HDR Processor X1<sup>™</sup> cleans and refines picture signals, using advanced algorithms to cut noise and boost detail. Even lower-resolution images are upscaled closer to 4K with lifelike colour and textures, for a more impactful signage.

#### Smoother movement

Motionflow<sup>™</sup> XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

#### See finer detail

4K X-Reality PRO upscales pictures closer to true 4K quality. Images are sharpened and refined in real time, revealing extra detail from lower-resolution picture sources.



#### Features

#### Do more with Google TV

Discover a world of apps and online content powered by Google TV. Use Voice Search to find content easily with no typing.

#### Google Chromecast and Apple Airplay

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

#### Greater peace of mind

There's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.



### Specifications

peeme		FWD-43X80K/UK	FWD-50X80K/UK	FWD-55X80K/UK	FWD-65X80K/UK	FWD-75X81K/UK	FWD-85X89K/UK	FWD-85X90H/UK
	Screen Size	43" (42.5")	50" (49.5")	55" (54.6")	65" (64.5")	75" (74.5")	85" (8	
Display features	(inch, measured diagonally)	108 cm	126 cm	139 cm	164 cm	189 cm		cm
	Brightness (cd/m <sup>2</sup> )		450		438	450	517	620
	Native contrast ratio Dynamic contrast ratio	1200:1	5000:1 400000:1		1200:1 390,000:1	400000:1	6000:1 460,000:1	4000:1 600000:1
	Display resolution							
	(H x V, pixels)	3840 x 2160						
	Dimming type Display device	Frame Dimming Local Dimming						
	Backlight type	LCD Direct (ED Direct (Full Array LED) Direct (Full Array LED) Direct (Full Array LED)						
	Aspect Ratio				16:9			
	Haze Response time (ms)	0	10	1%	0			%
Professional	Operating System	8	10		8 Android 10			6
features	On-board Storage (GB)	16GB						
Display System	TV System	DVB-T/T2						
	(Digital Terrestrial) TV System (Digital Cable)	DVB-1/12						
	TV System (Digital Cable)	DVB-C DVB-S/S2						
	Number of Tuners	1 (Digital/Analog) 2 (Digital)/1 (Analog)						
	(Terrestrial/Cable) Number of Tuners (Sat)	1 2 (bigital) / (b						
	Wi-Fi Direct	Yes 2						
	Wi-Fi Certified	Yes						
	Wi-Fi Standard	a/b/g/n/ac						
Network Features	Apple AirPlay	Yes						
	Chromecast built-in Internet Browser	Yes Vewd						
		vewa MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS (HDV,AVCHD):MPEG2,AVC/MP4 (XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/						
	Codec for Home Network	MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF (WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/						
	Wireless LAN	AC4/ogg/AAC/ARW (Screen nail only)						
Convenience features	WIREIESS LAIN	Integrated MPEG1:MPEG2/MPEG2PS:MPEG2/MPEG2TS (HDV,AVCHD):MPEG2,AVC/MP4 (XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF (WMV):VC1/						
	USB playback codecs	MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4/						
		ogg/AAC/ARW (Screen nail only)						
	HDMI-CEC i-Manual	Yes						
	On Screen Clock	Yes Yes						
	Sleep Timer	Yes Yes						
	On/Off Timer	Yes						
	Diselastan	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ, KAN,KOR,K IR,LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE, zh_CN,zh_HK,zh_TW,ZUL						
	Display Language							
Control	IP Control	zn_LN,zn_HK,zn_TW,ZUL Yes						
specs	Pro mode	No Yes 4096x2160p (24,50,60Hz), 3840x2160p						
Inputs & Outputs	HDMI Signal	4096x2160p (24,50,60Hz), 3840x2160p (24,25,30,50,60Hz), 1080p (30,50,60Hz), 1080/24p, 1080i (50,60Hz), 720p (30,50,60,100,120Hz) *1 , 1080p(30,50,60,100,120Hz) *1 , 1080p(30,50,60Hz), 720p(30,50,60Hz), 720p(30,50,6						
	HDCP	HDCP2.3 (for HDMI1/2/3/4)						
	RF (Terrestrial/Cable) Connection Input(s)	1 (Side)						
	IF (Satellite) Input(s)	1 (Side) 2 (Side)						
	Composite Video Input(s)	1 (Side, Mini jack) 1 (Side)						
	HDMI inputs total	4 (4Side) 2 (Side)						
	USB ports Ethernet inputs	2 (Side) 1 (Side)						
	RS-232C Input(s)	No						
	PCMCIA Slot(s)	1 (Top)						
Audio	Speaker Position	Down Firing Side Back + Down						
specifica- tions	Audio Power Output	10W + 10W						
	Wide Mode	10W + 10W Auto/Wide zoom/Normal/Full/Zoom/14:9,Normal/Full1/Full2 for PC						
	4:3 Default	Auto/ wide zoom/ Normal/Full/Zoom/ 14:5,Normal/Full/Full/ Full/ Full/ Full/ Full/ Full/ Full/ Full/ Full/ Full						
Video Specifica- tions	Video Processing	4K X-Reality PRO						
	4K Processor	4K HDR Processor X1 X-Motion Clarity,						
	Motion enhancer	Motionflow XR 200/240Hz (Native 50/60Hz), Auto mode X-Motion Clarity, Auto mode						
	HDR (High Dynamic Range)	Yes (HDR10,HLG,Dolby Vision)						
	compatibility	דפיג (דוטיגוט, דונג, טטוטיץ יוגוטדו)						
	Panel Refresh Rate (Native Hertz)	50Hz 100Hz						
	Cable Management	Yes						
	Frame color				Black			
Design Features	Stand Design			Slim Bla	de stand			Metal Blade Stand
Features	VESA <sup>®</sup> Hole Spacing Compatible	Yes						
	VESA® Hole Pitch (W x H)	20.0 x 2	20.0 cm		30.0 x 30.0 cm		40.0 x 4	40.0 cm
	Rated Power	114 W	151 W	213 W	241 W	317 W	389 W	340 W
	Consumption	11-1-1-1	15117	21511	2-11-14	50.00	505 11	540 11
Eco & energy	Power Consumption (in Standby)	0.50 W						
saving	Mercury content(mg)	0.0						
	Power Saving Mode / Back	Yes						
	Light Off Mode							
	Display only (W x H x D)	Approx. 96.4 x 56.3 x 6.9 cm	Approx. 111.9 x 64.9 x 7.0 cm	Approx. 123.3 x 71.3 x 7.2 cm	Approx. 145.2 x 83.6 x 7.2 cm	Approx. 167.5 x 96.2 x 7.3 cm	Approx. 190.1 x 109.0 x 7.3 cm	Approx. 189.9x108.9x7.2 cm
Dimensions	Display with Stand	Approx.	Approx.	Approx.	Approx.	Approx.	Approx.	Approx.
	(W x H x D)	Approx. 96.4 x 62.9 x 28.8 cm	Approx. 111.9 x 71.6 x 28.8 cm	Approx. 123.3 x 78.3 x 33.9 cm	Approx. 145.2 x 90.6 x 33.9 cm	Approx. 167.5 x 104.1 x 41.2 cm	Approx. 190.1 x 117.8 x 45.7 cm	Approx. 189.9x116.2x44.1 cm
	Display only	Approx. 10.1 kg	Approx. 12.4 kg	Approx. 15.9 kg	Approx. 21.7 kg	Approx. 32.2 kg	Approx. 44.7 kg	Approx. 45.8 kg
Weights	Display only Display with Stand	Approx. 10.1 kg Approx. 10.7 kg	Approx. 12.4 kg Approx. 13 kg	Approx. 15.9 kg Approx. 16.9 kg	Approx. 21.7 kg Approx. 22.7 kg	Approx. 32.2 kg Approx. 33.5 kg	Approx. 44.7 kg Approx. 46.2 kg	Approx. 45.8 kg Approx. 47.7 kg
(Approx.)	Package Carton (Gross)	Approx. 14 kg	Approx. 18 kg	Approx. 22 kg	Approx. 32 kg	Approx. 48 kg	Approx. 62 kg	Approx. 62 kg
Optional	Wallmount Bracket	SU-WL450 (Terminal a			access limitation, refer		SU-WL450 (Terminal	
accessories		to SU-WL450	product page)	page), SU-WL85	0(Refer to Country/Area	Handling Chart)	to SU-WL450	product page)
	Standard Marranty		3 Years	with advanced exchance	a handled by local part	ner on premise where	hossible	
Service and Warranty	Standard Warranty			man davancea excitati <u>e</u>	je nanaled by local part	nei, on premise where j	56551616	



# Bring the incredible depth and quality of 4K HDR resolution to your business

#### For full features visit pro.sony/products/professional-displays

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by

#### PrimeSupport

Find your local telephone number to contact our *PrimeSupport Helpdesk* on our website **pro.sony/en\_GB/ change-country-region-language** 

Monday - Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German & Spanish

Prime Support Pro

### SONY