
Key Features

- All-in-one myViewBoard™ suite with Whiteboard,
 Display, and Manager
- Pen-on-paper writing experience with Ultra Fine Touch Technology
- Front-facing dual speakers to deliver attention-grabbing sound
- Webcam bracket easily attached with camera for better engagement
- Quad Core CPU with upgraded storage powered by Android 9.0 OS



Product **Description**

The ViewBoard® 32-2 series is an advanced model that provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. Clearer colors, more vibrant contrast, and less glare are achieved thanks to 4K UHD display's bonding technology. With 20-point touchscreen interface, users collaborate naturally either with a finger or one of the ViewBoard styluses. The display integrates Ultra Fine Touch Technology which brings a paper-like writing experience with instant response and high accuracy. The dual-tip pen support allows you to simultaneously write or draw with two different colors. Seamless software integration is assured by the built-in access to the myViewBoard suite that brings together all the hardware. With upgraded RAM and storage, ViewBoard 32-2 Series offers instant connectivity and effortless usability for classroom engagement.



- 1. Smart Port USB™ X 2
- 2. Camera
- 3. LAN
- 4. RS232
- 5. HDMI X 2
- 6. USB 2.0

- 8. Touch
- 9. Audio Out
- 10. VGA 11. Audio In
- 12. Wi-fi Module Slot

7. VESA® Wall Mount600 x 400mm

Visit Us

www.viewsonic.com

DISPLAY	nupsa, www.ve	EMBEDDED OS	, s 2
Panel Size:	65"	Android 9	
D 17	TFT LCD Module with	BUNDLE SOFTWARE	
Panel Type:	DLED Backlight. 1428.48(H)x 803.52 (V)	Basic Annotation Software:	myViewBoard Whiteboard
Display Area (mm):	(64.5" diagonal)		myViewBoard
Aspect Ratio: Resolution:	16:9 UHD 3840x2160(Pixels)	Pro Annotation Software:	Whiteboard for Windows (Embedded ir optional Windows Slot- in PC)
Colors:	1.07B colors (8bit+FRC)	Wireless Presentation:	myViewBoard Display & ViewBoard Cast
Brightness:	350 nits (typ.)	SPECIAL FEATURES	
Contrast Ratio:	4000:1	All-in-one USB port:	(combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Response Time:	6.5ms		
Viewing Angles:	H=178, V=178typ.		
Backlight Life:	30,000 Hours (Min)	Simple LAN sharing between IFP and slot-in device:	10/100M for Android & Slot-in PC
Surface Treatment:	Hardness: 9H Anti-		
0:	glare coating	Light Sensor: POWER	Yes
Orientation:	Landscape	Voltage:	162V-264V +/- 10%
PLATFORM	ADM are discuss Contact	voltage.	
Processor:	ARM quad-core Cortex- A55	Consumption:	On: 175W(typ.) Off: ≤ 0.5W\
RAM:	4GB DDR4	ERGONOMICS	
Storage:	32 GB	Wall Mount (VESA®):	600*400
тоисн		OPERATING CONDITIONS	
Type/ Tech:	Ultra Fine Touch Technology	Temperature (° C):	0°C to 40°C 10% ~ 90% RH non-
Touch Point:	20 points touch, 2 points writing	Humidity: condensing DIMENSIONS (W X H X D)	
INPUT		DIMENSIONS (W X H X D)	1489×897×87 mm /
HDMI:	HDMI 2.0 x2 (3840x2160 @60Hz)	Physical (inch / mm):	58.6x35.3x3.4 in
RGB / VGA:	x1	Packaging (inch / mm):	1628×208×1005 mm / 64x8.2x39.5 in
Audio:	x1	WEIGHT	
RS232:	x1	Net (lb / kg):	38.3kg/84.4lb
OPS:	x1 (Optional Intel Standard OPS)	Gross (lb / kg): REGULATIONS	46.0kg/101.4lb
WiFi:	x1 (Optional VB-WIFI- 002/VB-WIFI-004)	EMC/CE, CB/LVD, GOST-R / EAC, FAC, RCM, BIS, ECAS, LBL (Low Blue Light Certification), RoHS, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, Green BOM,	
Audio:	x1	PACKAGE CONTENTS	
LAN		1. Power cord / 2.Remote control with AAA battery / 3.USB	
RJ45:	x1	touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adapter / 7. Screw x 4 (
USB Type A:	USB2.0 Front x2; Side	wall mount 4) / 8. HDMI cable / 9. Clamp x5 / 10. Camera plate x1 COMPATIBLE SLOT-IN PC	
	x2		
Type B: SPEAKERS	x1 for HDMI/VGA touch	VPC12-WPO/VPC25/VPC2C/VPC	2/ series
10W x 2			
TOP CAMERA PLATE			
Yes			

Copyright © ViewSonic Corporation 2000-2023. All rights reserved.